



94661sequencelisting.ST25
SEQUENCE LISTING

<110> Warner, Benjamin P
<120> Method for Detecting Binding Events Using Micro-X-Ray
Fluorescence Spectrometry
<130> S-94,661
<140> 09/859,701
<141> 2001-05-16
<160> 5
<170> PatentIn version 3.2
<210> 1
<211> 11
<212> PRT
<213> artificial sequence
<220>
<223> Xaa can be His, Arg, Ser, Trp, or Tyr

<220>
<221> MISC_FEATURE
<222> (1)..(11)
<223> X can be H, R, S, W, or Y

<400> 1

Xaa Gly Gly Xaa Gly Gly Xaa Gly Gly Xaa Phe
1 5 10

RECEIVED
APR 04 2003
TECH CENTER 1600/2900

a <210> 2
<211> 11
<212> PRT
<213> artificial sequence

<220>
<223> binds strongly to methylphosphonic acid

<220>
<221> BINDING
<222> (1)..(11)

94661sequencelisting.ST25

<400> 2

His Gly Gly His Gly Gly His Gly Gly Arg Phe
1 5 10

<210> 3

<211> 11

<212> PRT

<213> artificial sequence

<220>

<223> binds strongly to methylphosphonic acid

<220>

<221> BINDING

<222> (1)..(11)

<400> 3

Tyr Gly Gly Tyr Gly Gly Trp Gly Gly Tyr Phe
1 5 10

<210> 4

<211> 11

<212> PRT

<213> artificial sequence

<220>

<223> binds to the thiol

<220>

<221> BINDING

<222> (1)..(11)

<400> 4

Ser Gly Gly Arg Gly Gly His Gly Gly His Phe
1 5 10

<210> 5

<211> 11

<212> PRT

<213> artificial sequence

<220>

<223> binds to the thiol

<220>

<221> BINDING

<222> (1)..(11)

<400> 5

Trp Phe Phe His Gly Gly His Gly Gly Trp Phe
1 5 10